

DSK - 1 CONTROLLER

Model	Start Pressure	Inlet/Outlet	Phase	Voltage	List Price
DSK 1-1.5	1.5 Bar	25mm	1	220-240	\$116
DSK 1-2.2	2.2 Bar	25mm	1	220-240	\$116

DESCRIPTION

The DSK-1 controller is used to automatically control the functioning of electric water pumps. It can guarantee the optimum control of electric pumps used in plumbing systems. Being an intelligent mix of hydraulic and electronic engineering, the controller maintains both pressure and flow and controls the operation of the pump automatically. Ideal for mains boosting, household water supply and boosting from above ground water tanks.

FEATURES

- Colour: Black or Blue
- Start Pressure: 1.5 Bar or 2.2 Bar
- A user-friendly interface with LED indicators displaying power status, pump running and alarm indication.
- Wetted parts are made from high quality corrosion resistant materials
- Comes wired with 3 pin plug for the mains and a 3 pin receiver for the pump motor



TECHNICAL FEATURES

- Max Current: 10A
- Protection Grade: IP65
- Run Dry Protection

DSK - 5 CONTROLLER

Model	Start Pressure	Inlet/Outlet	Phase	Voltage	List Price
DSK 5	1.5 – 3 Bar	25mm	1	220-240	\$116

DESCRIPTION

The Trevoli DSK-5 is designed to automatically control the starting and stopping with the ability to adjust the starting pressure. Used when a higher cut-in pressure is required. Ideal for mains boosting, household water supply and boosting from above ground water tanks.

FEATURES

- Starting pressure to choose: 1.5bar-3.5bar (default setting 1.5 bar)
- A user-friendly interface
- Pressure Gauge
- Wetted parts are made from high quality corrosion resistant materials
- 3 pin plug for the mains and a 3 pin receiver
- Can be mounted horizontally or vertically

TECHNICAL FEATURES

- Max Current: 12A
- Frequency: 50Hz
- Protection Grade: IP65
- Run Dry Protection

